



TG SERIES



BAR OR TOWER GROUND CONNECTORS

DIRECT BURIAL
LAY-IN
COPPER WIRE ONLY

USE FOR GROUNDING CABLE OR WIRE
TO A FLAT BAR, PLATE. OR STRUCTURAL
STEEL MEMBER
HIGH COPPER ALLOY BRONZE CASTING
WITH STAINLESS STEEL HARDWARE
SUITABLE FOR DIRECT BURIAL IN EARTH
OR CONCRETE
CONNECTS ONE GORUND WIRE TO 1/4”
THICK BAR OR STANCHION
MADE IN USA



PART NUMBER	CATALOG NUMBER	CABLE RANGE		BOLT SIZE	A	B	C	D	EST. SHIPPING	
		MAX	MIN						WEIGHT (LBS)	UNIT
10-71100	TG 04	#4 STR	#8 SOL	3/8”	1.09	.56	.99	1.47	.16	EA
10-71105	TG 20	2/0 STR	#4 SOL	3/8”	1.75	1.00	1.52	2.48	.29	EA
10-71110	TG 250	250 MCM	2/0 SOL	1/2”	2.00	1.27	1.52	3.06	.45	EA
10-71115	TG 500	500 MCM	300 MCM	1/2”	2.26	1.55	1.52	3.31	.95	EA
10-71116	TG 750	750 MCM	550 MCM	5/8”	2.50	1.73	1.52	3.39	1.25	EA



CONSULT FACTORY FOR CONNECTORS FOR BAR
GREATER THAN 1/4” THICK
FOR TIN PLATING ADD SUFFIX “P” TO CATALOG
NUMBERS
FOR TORK-AWAY SECURITY NUT, ADD SUFFIX
”TA” TO CATALOG NUMBER AND CONTACT
FACTORY FOR AVAILABILITY

DIMENSIONS
ARE USED FOR
REFERENCE
ONLY

THIRD ANGLE PROJECTION

APPROVALS

DRAFTER RDH

CHECKER PTO

DO NOT SCALE DRAWING

MATERIAL

SEE NOTES

FINISH

NONE

DATE

2/10/2026

2/10/2026

TITLE

TG SERIES

SIZE B

SCALE 1:1

DWG NO SD-11-00111

WEIGHT 0.87 LBS.

REV -

SHEET 1 OF 1

GREAVES CORPORATION
30 INDUSTRIAL PARK ROAD CENTERBROOK, CT 06409





TGM SERIES

BAR OR TOWER GROUND CONNECTORS

DIRECT BURIAL
LAY-IN
COPPER WIRE ONLY

USE FOR GROUNDING CABLE OR WIRE
TO A FLAT BAR, PLATE. OR STRUCTURAL
STEEL MEMBER
HIGH COPPER ALLOY BRONZE CASTING
WITH STAINLESS STEEL HARDWARE
SUITABLE FOR DIRECT BURIAL IN EARTH
OR CONCRETE
CONNECTS ONE GORUND WIRE TO 1/4”
THICK BAR OR STANCHION
MADE IN USA

PART NUMBER	CATALOG NUMBER	CABLE RANGE		BOLT SIZE	A	B	C	D	EST. SHIPPING	
		MAX	MIN						WEIGHT (LBS)	UNIT
10-71120	TGM 04	#4 STR	#8 SOL	3/8”	1.31	.42	1.01	1.2	0.13	EA
10-71125	TGM 20	2/0 STR	#4 SOL	3/8”	1.75	.66	1.52	1.73	0.20	EA
10-71130	TGM 250	250 MCM	2/0 SOL	1/2”	1.65	.55	1.23	2.42	0.31	EA
10-71135	TGM 500	500 MCM	300 MCM	1/2”	2.25	.98	1.52	2.31	0.80	EA
10-71140	TGM 750	750 MCM	550 MCM	5/8”	2.74	1.19	1.62	3.11	1.22	EA



CONSULT FACTORY FOR CONNECTORS FOR BAR
GREATER THAN 1/4” THICK
FOR TIN PLATING ADD SUFFIX "P" TO CATALOG
NUMBERS
FOR TORK-AWAY SECURITY NUT, ADD SUFFIX
"TA" TO CATALOG NUMBER AND CONTACT
FACTORY FOR AVAILABILITY

DIMENSIONS
ARE USED FOR
REFERENCE
ONLY

THIRD ANGLE PROJECTION

APPROVALS		DATE	
DRAFTER	RDH	2/10/2026	
CHECKER	PTO	2/10/2026	
DO NOT SCALE DRAWING			
MATERIAL			
SEE NOTES			
FINISH			
NONE			

GREAVES CORPORATION

30 INDUSTRIAL PARK ROAD CENTERBROOK, CT 06409

TITLE

TGM SERIES

SIZE	B	DWG NO	SD-11-00112	REV	-
SCALE	1:1	WEIGHT	0.65 LBS.	SHEET 1 OF 1	





TGG SERIES

BAR OR TOWER GROUND CONNECTORS

USE FOR GROUNDING CABLE OR WIRE
TO A FLAT BAR, PLATE. OR STRUCTURAL
STEEL MEMBER
HIGH COPPER ALLOY BRONZE CASTING
WITH STAINLESS STEEL HARDWARE
SUITABLE FOR DIRECT BURIAL IN EARTH
OR CONCRETE
CONNECTS ONE GORUND WIRE TO 1/4”
THICK BAR OR STANCHION
MADE IN USA

DIRECT BURIAL
LAY-IN
COPPER WIRE ONLY

PART NUMBER	CATALOG NUMBER	CABLE RANGE		BOLT SIZE	A	B	C	D	EST. SHIPPING	
		MAX	MIN						WEIGHT (LBS)	UNIT
10-71101	TGG 04	#4 STR	#8 SOL	3/8”	1.28	.51	1.15	1.48	.23	EA
10-71106	TGG 20	2/0 STR	#4 SOL	3/8”	1.61	.74	1.44	1.98	.38	EA
10-71111	TGG 250	250 MCM	2/0 SOL	1/2”	1.98	.90	1.64	2.31	.81	EA
10-71117	TGG 500	500 MCM	300 MCM	1/2”	2.69	1.18	1.94	2.81	1.50	EA
10-71118	TGG 750	750 MCM	550 MCM	5/8”	3.09	1.29	2.00	3.39	2.20	EA



CONSULT FACTORY FOR CONNECTORS FOR BAR
GREATER THAN 1/4” THICK
FOR TIN PLATING ADD SUFFIX "P" TO CATALOG
NUMBERS
FOR TORK-AWAY SECURITY NUT, ADD SUFFIX
"TA" TO CATALOG NUMBER AND CONTACT
FACTORY FOR AVAILABILITY

DIMENSIONS ARE USED FOR REFERENCE ONLY	APPROVALS		DATE			GREAVES CORPORATION										
	DRAFTER	RDH	2/10/2026			30 INDUSTRIAL PARK ROAD CENTERBROOK, CT 06409										
	CHECKER	PTO	2/10/2026													
THIRD ANGLE PROJECTION	DO NOT SCALE DRAWING				TITLE TGG SERIES											
	MATERIAL										SIZE		DWG NO		REV	
	SEE NOTES										B		SD-11-00109		-	
	FINISH				SCALE		WEIGHT		SHEET		OF					
	NONE				1:1		0.84 LBS.		1		1					

TGGM SERIES

BAR OR TOWER GROUND CONNECTORS


GROUNDING

HEAVY DUTY - BRONZE CASTINGS FOR STRENGTH AND RUGGEDNESS

USE FOR GROUNDING CABLE OR WIRE TO A FLAT BAR, PLATE, OR STRUCTURAL STEEL MEMBER
HIGH COPPER ALLOY BRONZE CASTINGS WITH STAINLESS STEEL HARDWARE
SUITABLE FOR DIRECT BURIAL IN EARTH OR CONCRETE
MADE IN USA

DIRECT BURIAL
LAY-IN
COPPER WIRE ONLY

PART NUMBER	CATALOG NUMBER	CABLE RANGE		BOLT SIZE	EST. SHIPPING	
		MAX	MIN		WEIGHT (LBS)	UNIT
10-71121	TGGM 04	#4 STR	#8 STR	3/8	0.20	EA
10-71126	TGGM 20	2/0 STR	#4 SOL		0.28	
10-71131	TGGM 250	250 MCM	2/0 SOL	1/2	0.70	
10-71136	TGGM 500	500 MCM	300 MCM		1.20	
10-71141	TGGM 750	750 MCM	550 MCM	5/8	2.00	
CONSULT FACTORY FOR CONNECTORS FOR BAR GREATER THAN 1/4" THICK FOR TIN PLATING ADD SUFFIX "P" TO CATALOG NUMBERS FOR TORK-AWAY SECURITY NUT, ADD SUFFIX "TA" TO CATALOG NUMBER AND CONTACT FACTORY FOR AVAILABILITY						



DIMENSIONS ARE FOR REFERENCE ONLY

THIRD ANGLE PROJECTION

APPROVALS		DATE
DRAFTER	SHG	2/17/2026
CHECKER	PTO	2/19/2026
DO NOT SCALE DRAWING		
MATERIAL		
SEE NOTES		
FINISH		
NONE		

GREAVES CORPORATION

30 INDUSTRIAL PARK ROAD CENTERBROOK, CT 06409

TITLE

TGGM SERIES

SIZE

B

DWG NO

SD-11-00108

REV

-

SCALE

2:1

WEIGHT

SEE NOTES LBS.

SHEET

1

OF

1